STRAND J: TRANSFORMATIONS, VECTORS and MATRICES

J2 *Further Transformations*

Text

Contents

Section

J2.1 Translations


✻ J2.2 Combined Transformations

© CIMT, Plymouth University

J2 Further Transformations

J2.1 Translations

A *translation* moves all the points of an object in the same direction and the same distance. The diagram shows a translation.



Here every point has been moved 8 units to the right and 3 units up.


This translation is described by what is called a vector

$$\begin{pmatrix} 8 \\ 3 \end{pmatrix}$$

Further work on vectors is in Strand J, Unit J3.


Worked Example 1

Describe the translation which moves the shaded shape to each of the other shapes shown.



© CIMT, Plymouth University

Solution



To move to A, the shaded shape is moved 6 units to the right (horizontally) and 3 units up (vertically).

This is described by the vector $\begin{pmatrix} 6 \\ 3 \end{pmatrix}$.

To obtain B, the shaded shape is moved 5 units to the right and 5 units down.

This is described by the vector $\begin{pmatrix} 5 \\ -5 \end{pmatrix}$.

To obtain C, the shaded shape is moved 3 units to the left and 4 units down.


This is described by the vector $\begin{pmatrix} -3 \\ -4 \end{pmatrix}$.

To obtain D, the shaded shape is moved 5 units to the left and then 3 units up.

This is described by the vector $\begin{pmatrix} -5 \\ 3 \end{pmatrix}$.

Worked Example 2

The shape shown in the diagram is to be translated using the vector $\begin{pmatrix} 6 \\ -2 \end{pmatrix}$.




Draw the image obtained using this translation.


Solution

The vector $\begin{pmatrix} 6 \\ -2 \end{pmatrix}$ describes a translation which moves an object 6 units to the right and 2 units down. This translation can be applied to each point of the original.

© CIMT, Plymouth University




The points can then be joined to give the translated image.




Exercises

1. The shaded shape has been moved to each of the other positions shown by a translation. Give the vector used for each translation.



2. Describe the translation which moves:



(a) A → C

(b) C → B

(c) F → E

(d) B → D


(e) D → B

(f) E → C

(g) C → D


(h) A → F

3. Draw the shape shown and its image when translated using each of the following vectors.



(a) $\begin{pmatrix} 2 \\ 4 \end{pmatrix}$ (b) $\begin{pmatrix} 3 \\ -1 \end{pmatrix}$

(c) $\begin{pmatrix} -2 \\ -5 \end{pmatrix}$ (d) $\begin{pmatrix} -2 \\ 3 \end{pmatrix}$


4. 

(a) Draw the shape shown.

(b) Translate using the vector $\begin{pmatrix} 4 \\ 2 \end{pmatrix}$.

(c) Translate the image using the vector $\begin{pmatrix} 1 \\ -4 \end{pmatrix}$.

(d) Which vector would be needed to translate the final image back to the position of the original?


5. 

(a) Describe a translation which would move one A onto another A.

(b) Describe any other translations which would move a letter onto the same letter in a different position.

© CIMT, Plymouth University

6. The number 45 can be formed by translation of the lines A and B.



Describe the translations which need to be applied to A and B to form the number 45.

7. (a) Draw a simple shape.

(b) Write down the coordinates of each corner of your shape.

(c) Translate the shape using the vector $\begin{pmatrix}2\\3\end{pmatrix}$ and write down the coordinates of the new shape.

(d) Compare the coordinates obtained in (b) and (c). How do they change as a result of the translation?

(e) Repeat (c) and (d) with a translation using the vector $\begin{pmatrix}4\\-2\end{pmatrix}$.

8. (a) Draw a simple shape and translate it using the vector $\begin{pmatrix}2\\5\end{pmatrix}$.

Then translate the image using the vector $\begin{pmatrix}4\\1\end{pmatrix}$.

(b) Which single translation would map the original shape to its final position?

(c) Translate your shape using the vector $\begin{pmatrix}3\\7\end{pmatrix}$. Then translate the image using the vector $\begin{pmatrix}-3\\-4\end{pmatrix}$. Which single translation would move the original shape to its final position?


(d) If a shape was translated using the vector $\begin{pmatrix}4\\2\end{pmatrix}$ and then the vector $\begin{pmatrix}-6\\-8\end{pmatrix}$, which single translation would be equivalent?

9. The points A, B, C and D have coordinates $(4,7)$, $(2,-6)$, $(-3,-6)$ and $(0,7)$. Find the vector which would be used to translate:

(a) A to B (b) C to D (c) D to A (d) A to D.

Challenge!

*1. By moving only **one** coin in the pattern shown, make one row and one column, each containing 5 coins.*



2. Rearrange the 8 coins to form a square with 3 coins on each side. By rearranging 4 coins, make a square with 4 coins on each side.


© CIMT, Plymouth University

J2.2 Combined Transformations

An object can be subjected to more than one transformation, so when describing how a shape is moved from one position to another it may be necessary to use two different transformations.


Worked Example 1

Draw the image of the triangle shown if it is first reflected in the line $x = 4$ and then rotated clockwise about the point $(4, 0)$.




Solution

The diagram below shows the line $x = 4$ and the image of the triangle when it has been reflected in this line.




The new image can then be rotated about the point $(4, 0)$, as below.



Worked Example 2


Describe two different ways in which the shape marked A can be moved to the position shown at B.



© CIMT, Plymouth University


Solution

One way, shown below, is to first translate A using the vector $\begin{pmatrix}6\\0\end{pmatrix}$, and then reflect in the line $y = 6$.




An alternative approach is to rotate shape A through $180°$ around point $(2, 6)$.

This can then be reflected in the line $x = 6$ to obtain B, as shown below.



Worked Example 3



In the diagram above, $OC = OC'$, $BC = B'C'$ and all angles are right angles. $OABC$ can be mapped onto $OA'B'C'$ by a transformation, J, followed by another transformation, K.

Describe fully the transformations

(a) J

(b) K.

© CIMT, Plymouth University

Solution

(a) Rotate $OABC$ by $90°$ clockwise, centre O.

(b) Reflect new shape in the y-axis.

Worked Example 4

On graph paper, taking 1 cm to represent 1 unit on both the x and y axes, draw

(a) the triangle ABC formed by joining the points $A\,(0, 0)$, $B\,(2, 3)$ and $C\,(4, 2)$.

(b) the triangle $A'B'C'$, the image of triangle ABC, under a reflection in the y-axis.

A transformation Q maps the image of triangle ABC onto triangle $A''B''C''$ such that


$$A(0, 0) \rightarrow A''(3, 4)$$
$$B(2, 3) \rightarrow B''(5, 7)$$
$$C(4, 2) \rightarrow C''(7, 6)$$

(c) Draw the triangle $A''B''C''$

(d) Describe the transformation Q in TWO different ways.

Solution

(a), (b), (c) as shown on the diagram below.



(d) For example, translate ABC by the vector $\begin{pmatrix}3\\0\end{pmatrix}$ followed by $\begin{pmatrix}0\\4\end{pmatrix}$.

Translate ABC by the vector $\begin{pmatrix}3\\3\end{pmatrix}$ followed by $\begin{pmatrix}0\\1\end{pmatrix}$.

© CIMT, Plymouth University

Exercises

1. (a) Draw a set of axes with x and y values from 0 to 9. Plot the points $(5, 1)$, $(7, 4)$, $(9, 4)$ and $(7, 1)$. Join them to form a single shape.

   (b) Reflect the shape in the line $y = 4$.

   (c) Translate the shape obtained in (b) using the vector $\begin{pmatrix} -4 \\ -3 \end{pmatrix}$.

   (d) Rotate the original shape through $180°$ about the point with coordinates $(5, 4)$

2. (a) Draw a set of axes with x-values from 0 to 14 and y-values from 0 to 4. Join the points $(1, 4)$ and $(4, 1)$ to form a straight line. Rotate this line through $90°$ clockwise around the point $(4, 1)$.


   (b) Describe two ways in which the shape you have obtained could be transformed into a 'W' shape.

3. The letter P is to be formed by applying a number of transformations to the solid line. Each transformation maps the solid line onto one of the dashed lines.

   Describe how this could be done using:

   (a) only rotations

   (b) only reflections.



4. (a) Draw a set of axes with x values from 0 to 16 and y values from -12 to 8.

   (b) Join the points with coordinates $(4, 1)$, $(6, 1)$ and $(6, 4)$ to form a triangle.

   (c) Enlarge this triangle with scale factor 2 using the point $(0, 1)$ as the centre of enlargement.

   (d) Rotate the new triangle through $180°$ about the point $(9, -2)$.

   (e) Describe fully the transformations which map the final triangle back onto the original.

5. (a) Draw a set of axes with x and y values from 0 to 8. Plot and join the points $(1, 5)$, $(3, 5)$, $(3, 8)$ and $(1, 7)$.

   (b) Rotate this shape through $90°$ clockwise around the point $(3, 5)$.

   (c) Then translate the new image using the vector $\begin{pmatrix} 2 \\ 0 \end{pmatrix}$.

   (d) Reflect this image in the line $y = 4$.

   (e) How could the final image be mapped back to the position of the original with a single transformation?

© CIMT, Plymouth University


6. (a) Draw a set of axes with x and y values from 0 to 10. Plot the points with coordinates $(2, 1)$, $(4, 1)$ and $(2, 4)$ and join them to form a triangle.

(b) Reflect this triangle in the line $x = 4$ and then reflect the image in the line $x = 7$.

(c) Which single transformation would map the original triangle onto its final position?

(d) Reflect the original triangle in the line $y = 6 - x$ and then reflect this image in the line $y = 11 - x$. Which single transformation would map the final triangle back to its original position?

7.



(a) The triangle A can be mapped onto B, C and D using single transformations. Describe fully each transformation.

(b) The triangle A can be mapped onto E, F, G and H using two transformations.

Describe fully each pair of transformations.

8. (a) (i) Draw a simple shape and reflect it in any vertical line.

(ii) Reflect the image in any horizontal line.


(b) Describe two other ways in which the original image could have been mapped onto the final image.

(c) Repeat (a) and (b) using any two lines which are perpendicular.

(d) Do you obtain the same result in each case?

© CIMT, Plymouth University

9. Copy the diagram below and then show the answers to the questions on your copy of the diagram. (You are advised to use a pencil.)




(a) Draw the reflection of the F in the x-axis.

(b) Rotate the original F through $90°$ anticlockwise, with O as the centre of rotation. Draw the image.

(c) Enlarge the original F with centre of enlargement O and scale factor 2.

10. (a) Triangle A is mapped onto triangle B by means of an anticlockwise rotation, centre the origin, followed by another translation.



(i) Write down the angle of rotation.

(ii) Find the column vector of the translation.

(b) Triangle A may be mapped onto triangle B by means of a single rotation.

Find the coordinates of the centre of rotation.

(c) Triangle B is reflected in the line $y = -2$ to form triangle C. Describe the single transformation which would map triangle A onto triangle C.

© CIMT, Plymouth University